



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO		
10/792,146	-	03/02/2004	Anantha Ramaiah	50325-0872	50325-0872 4864		
29989	7590	10/19/2005		EXAMINER			
		MO TRUONG & 1	KIM, JUNG W				
2055 GATE SUITE 550	WAY PLA	ACE		ART UNIT	ART UNIT PAPER NUMBER		
SAN JOSE,	CA 951	10		2132	<del>.</del> .		

DATE MAILED: 10/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		pplication No.	Applicant(s)				
		0/792,146	RAMAIAH ET AL.				
Office Action Summar	γ <u>Ε</u>	kaminer	Art Unit				
	Ju	ıng W. Kim	2132				
The MAILING DATE of this con Period for Reply				ldress			
A SHORTENED STATUTORY PERIOD WHICHEVER IS LONGER, FROM TI  Extensions of time may be available under the proafter SIX (6) MONTHS from the mailing date of thi  If NO period for reply is specified above, the maxir  Failure to reply within the set or extended period for Any reply received by the Office later than three mearned patent term adjustment. See 37 CFR 1.70	HE MAILING DATE visions of 37 CFR 1.136(a) s communication. num statutory period will apor reply will, by statute, causonths after the mailing date	OF THIS COMMUNICA In no event, however, may a repoply and will expire SIX (6) MONTH se the application to become ABA	ATION.  y be timely filed  IS from the mailing date of this c  NDONED (35 U.S.C. § 133).				
Status							
<ol> <li>Responsive to communication(2a)</li> <li>This action is FINAL.</li> <li>Since this application is in concluded in accordance with the property of the pro</li></ol>	2b)⊠ This act lition for allowance			e merits is			
Disposition of Claims							
4) ☐ Claim(s) 1-17 is/are pending in 4a) Of the above claim(s)  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1-17 is/are rejected.  7) ☐ Claim(s) is/are objected.  8) ☐ Claim(s) are subject to i	_ is/are withdrawn to.						
Application Papers							
9) The specification is objected to 10) The drawing(s) filed on <u>02 March</u> Applicant may not request that any Replacement drawing sheet(s) income 11) The oath or declaration is objected.	ch 2004 is/are: a)∑ y objection to the dra luding the correction	wing(s) be held in abeyanc is required if the drawing(s	e. See 37 CFR 1.85(a). ) is objected to. See 37 C	FR 1.121(d).			
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Re  3) Information Disclosure Statement(s) (PTO-1 Paper No(s)/Mail Date 12/04.  J.S. Patent and Trademark Office			/Mail Date ormal Patent Application (PT	O-152)			

Application/Control Number: 10/792,146

Art Unit: 2132

#### **DETAILED ACTION**

1. Claims 1-17 are pending.

#### Information Disclosure Statement

2. The items listed on the information disclosure statement filed on December 4, 2004 have been considered.

## Specification

3. The disclosure is objected to because of the following informalities: on pg. 4, replace "Ser. No. NNN" with –Ser. No. 10/755,146--. Appropriate correction is required.

## Claim Rejections - 35 USC § 101

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claim 17 is not limited to tangible embodiments. In view of Applicant's disclosure, specification page 14, 2<sup>nd</sup> full paragraph, the medium is not limited to tangible embodiments (e.g., main memory) and intangible embodiments (e.g. light waves). As such, the claim is not limited to statutory subject matter and is therefore rejected under 35 U.S.C. 101.

Application/Control Number: 10/792,146 Page 3

Art Unit: 2132

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 7. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peterson et al. <u>Computer Networks</u>, Chapters 2 and 5, "Sliding Window" and "Sliding Window Revisited" (hereinafter Peterson).
- 8. As per claims 1 and 6, Peterson discloses a sliding window as implemented in TCP, whereby a window size is established between the sender and receiver, the sender maintains a buffer beginning with the last byte acknowledged (LBA) and ending

Application/Control Number: 10/792,146

Art Unit: 2132

with the last byte sent (LBS) (pg. 384, fig. 5.8, "sending application") (technically, the last byte written is the end of the buffer, however this has to do with how the sender writes bytes into the buffer and not how the sliding window operates in concert with the receiver buffer; see also, pg. 106, fig. 2.22), and the receiver maintains a buffer beginning with the next byte expected (NBE) and the last byte received (LBR) (pg. 384, fig. 5.8, "receiving application") (technically, the last byte read is the beginning of the buffer, however this has to do with how the receiver reads bytes from the buffer and not how the sliding window operates in concert with the sender buffer; see also, pg. 107, fig. 2.23). Both buffers represent the windows of the respective endpoints that slide from a lower sequence number (number of bytes received previously) to a higher sequence number (number of bytes received currently) as bytes of segments are received and acknowledged. The windows also have the property of ignoring bytes received outside of the sequence number range (the window) because it is assumed that a received segment either has been read or the received segment has a sequence number too high to be stored by the buffer at that time (pg. 385, 1st paragraph; pgs. 385-387, "Flow Control"). Hence, Peterson discloses receiving a TCP segment carrying an ACK value; determining whether the ACK value is within the advertised window; and discarding the TCP segment when the ACK value is not within the advertised window.

Page 4

- 9. Moreover, the claim 1 limitation of:
  - i. determining whether the ACK value is less than the difference of a next unacknowledged sequence value and a lesser of either (a) a total

Application/Control Number: 10/792,146 Page 5

Art Unit: 2132

number of bytes sent in the TCP connection or (b) a maximum window size associated with the TCP connection; and

ii. discarding the TCP segment when the ACK value is less than the difference of a next unacknowledged sequence value and the lesser of either (a) the total number of bytes sent in the TCP connection or (b) a maximum window size associated with the TCP connection

### 10. is equivalent to:

- iii. determining whether the ACK < (next unacknowledged sequence value min(unacknowledged sequence number initial sequence number, max window size)); and
- iv. discarding the TCP segment when ACK < (next unacknowledged sequence value min(unacknowledged sequence number initial sequence number, max window size)) (see Figure 2, reference no. 204),

#### 11. which is equivalent to:

- v. determining whether the ACK < min(initial sequence number, lower bound of the window assuming next unacknowledged sequence value is the upper bound); and
- vi. discarding the TCP segment when ACK < min(initial sequence number, lower bound of the window assuming next unacknowledged sequence value is the upper bound),
- 12. which defines a determining step where a TCP segment is dropped if the ACK for the segment is less than the initial sequence number or outside of the current window

for the receiver. It would be obvious to one of ordinary skill in the art at the time the invention was made to drop a TCP segment if the ACK is less than the initial sequence number since the segment is not a part of the original transmission. One would be motivated to do so to maintain the order of the bytes received as necessitated by the sliding window algorithm (Peterson, pg. 383, 2<sup>nd</sup> paragraph). It would be further obvious to one of ordinary skill in the art at the time the invention was made to discard a TCP segment if the ACK is less than the lower bound of the window assuming the next unacknowledged sequence value is the upper bound to prevent overflowing the receiver's buffer (Peterson, pg. 385, "Flow Control"). The aforementioned cover the limitations of claims 1 and 6.

- 13. As per claim 2, the rejections of claims 1 and 6 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the steps are performed by an endpoint node acting as the receiver of data in the TCP connection (pg. 384, 2<sup>nd</sup> paragraph).
- 14. As per claim 3, the rejections of claims 1 and 6 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the steps are performed by a TCP application of an operating system of a network infrastructure element (pg. 384, 2<sup>nd</sup> paragraph).
- 15. As per claim 4, the rejections of claims 1 and 6 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the steps are performed by a TCP process,

stack, adapter or agent hosted by or associated with an operating system of a personal computer, workstation or other network end station (pg. 384, 2<sup>nd</sup> paragraph).

- 16. As per claim 5, the rejections of claims 1 and 6 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the maximum window size comprises a maximum TCP sequence value window size that an endpoint node in the TCP connection can manage without regard to any change in current window size that either endpoint may establish during the TCP connection (pg. 385, "AdvertisedWindow").
- 17. Claims 7-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peterson in view of Zuk et al. US Application publication no 2003/0154399 (hereinafter Zuk).
- 18. As per claims 7 and 9, the rejections of claims 1 and 6 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, in sliding window, when a first TCP segment carrying a sequence value is received, it is determined whether the sequence value is equal to the next expected sequence value so that NBE is incremented to a new next byte expected, which is the received sequence value + the number of bytes of the received segment. Peterson does not teach discarding the one or more second TCP segments from the re-assembly buffer when the first TCP segment overlaps any data segment previously received in the re-assembly buffer. Zuk discloses a TCP reassembly software module that reorders TCP packets that arrive out of order, which

also discards TCP packets when an overlap is identified (pg. 5, paragraph 50, last sentence). This feature has the property of maintaining the consistency and ordering of a packet flow. Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made to discard TCP packets when an overlap is identified in the sliding window for TCP since it maintains the consistency and ordering of a packet flow. Furthermore, it would be obvious to one of ordinary skill in the art at the time the invention was made to discarding the one or more second TCP segments from the reassembly buffer when the first TCP segment overlaps any data segment previously received in the re-assembly buffer, since the first segment is continuous with the previous packet flows and the one or more second TCP segments are not. One would be motivated to do so since it enables the buffer window to shift and allow segments with higher sequence numbers to be stored in the buffer. The aforementioned cover the limitations of claims 7 and 9.

19. As per claim 8, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are incorporated herein. (supra) Neither Peterson nor Zuk expressly disclose the discarding step discarding all TCP segments that are in the re-assembly buffer. However, the step of removing all the segments is obvious to one of ordinary skill in the art at the time the invention was made because when an overlap is identified between the sequence values in the buffer and the sequence value of the received segment, there is an inconsistency with the received values and the buffered values: the

resubmission of all these buffered values ensures the best means of maintaining a consistent flow. The aforementioned cover the limitations of claim 8.

- 20. As per claim 10, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the discarding step is performed when the first TCP segment completely overlaps any data segment previously received in the reassembly buffer (discarding step is performed when the first TCP segment overlaps any portion of a data segment previously perceived in the re-assembly buffer, ibid).
- 21. As per claim 11, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the method further comprising the step of sending an acknowledgement message that acknowledges data the sequence values of the first TCP segment (inherent feature of sliding window; pgs. 112-114, especially pg. 114, "send ACK").
- 22. As per claim 12, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the steps are performed by an endpoint node acting as the receiver of data in the TCP connection (pg. 384, 2<sup>nd</sup> paragraph).
- 23. As per claim 13, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are incorporated herein. (supra) In addition, the steps are performed by a TCP application of an operating system of a network infrastructure element (pg. 384, 2<sup>nd</sup> paragraph).

Application/Control Number: 10/792,146

Art Unit: 2132

As per claim 14, the rejections of claims 7 and 9 under 35 U.S.C. 103(a) are 24.

incorporated herein. (supra) In addition, the steps are performed by a TCP process,

stack, adapter or agent hosted by or associated with an operating system of a personal

computer, workstation or other network end station (pg. 384, 2<sup>nd</sup> paragraph).

As per claims 15-17, they are claims corresponding to claims 1-14, and they do 25.

not teach or define above the information claimed in claims 1-14. Therefore, claims 16-

17 are rejected as being unpatentable over Peterson in view of Zuk for the same

reasons set forth in the rejections of claims 1-14.

Communications Inquiry

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jung W. Kim whose telephone number is 571-272-3804.

The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

SUPERVISORY PATENT EXAMINER

Page 10

**TECHNOLOGY CENTER 2100** 

Application/Control Number: 10/792,146 Page 11

Art Unit: 2132

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jung W Kim Examiner Art Unit 2132

October 14, 2005